



## Industrial Plugs




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 110-130V~  
 No.poles:   
 Code:  $\frac{013n-4}{023n-4}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 110-130V  
 No.poles:   
 Code:  $\frac{213n-4}{223n-4}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 220-240V~  
 No.poles:   
 Code:  $\frac{013n}{023n}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 220-240V~  
 No.poles:   
 Code:  $\frac{213n}{223n}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 380-415V~  
 No.poles:   
 Code:  $\frac{014n}{024n}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 380-415V~  
 No.poles:   
 Code:  $\frac{214n}{224n}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V):  $\frac{220-380V~}{240-415V~}$   
 No.poles:   
 Code:  $\frac{015n}{025n}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V):  $\frac{220-380V~}{240-415V~}$   
 No.poles:   
 Code:  $\frac{215n}{225n}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 220-240V~  
 No.poles:   
 Code:  $\frac{513}{523}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 220-240V~  
 No.poles:   
 Code:  $\frac{613n}{623n}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 380-415V~  
 No.poles:   
 Code:  $\frac{514}{524}$   
 Protection degree: IP44




Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V): 380-415V~  
 No.poles:   
 Code:  $\frac{614n}{624n}$   
 Protection degree: IP44



Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V):  $\frac{220-380V~}{240-415V~}$   
 No.poles:   
 Code:  $\frac{515}{525}$   
 Protection degree: IP44



Nominal current(A):  $\frac{16A}{32A}$   
 Nominal voltage(V):  $\frac{220-380V~}{240-415V~}$   
 No.poles:   
 Code:  $\frac{615n}{625n}$   
 Protection degree: IP44